

February 21, 2018

Trumbull County Commissioners  
160 High St. NW, 5th Floor  
Warren, OH 44481

Dear Sirs,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Governor John Kasich  
Riffe Center, 30th Floor  
77 South High St.  
Columbus, OH 43215-6117

Dear Governor Kasich,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Ohio Department of Natural Resources  
Division of Oil & Gas  
2045 Morse Rd. Bldg. F2  
Columbus , OH 43229

Dear Sirs,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Director Linda Beil  
Trumbull County EMA  
640 N River Rd. Suite B  
Warren, OH 44483

Dear Director Beil,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Trumbull County Prosecutor Dennis Watkins  
160 High St. NW  
Warren, OH 44481

Dear Trumbull County Prosecutor Watkins,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of these trucks should be involved in an accident also needs to be addressed. The amount

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Senator Sean O'Brien  
Senate Building  
1 Capital Square, Ground Floor  
Columbus, OH 43215

Dear Senator O'Brien,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Ohio Township Association  
6500 Taylor Rd. Suite A  
Blacklick, OH 43004-8570

Dear Sirs,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

Ohio Department of Health  
246 N High St.  
Columbus, OH 43215

Dear Sirs,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld

February 21, 2018

ODOT  
1980 West Broad St.  
Columbus, OH 43223

Dear Sirs,

We, the Brookfield Township Trustees, request that all activity immediately halt of the Class II injection well construction and possible injection of frack waste water at the Brookfield Township site on State Route 7; parcel number 03-602341. We request an in-depth study be completed of potential traffic congestion from the brine trucks that could lead to danger to the health, safety and welfare of the residents of Brookfield Township and the surrounding area.

The location of the Brookfield Township Fire Station is approximately  $\frac{1}{4}$  mile south of the proposed site of these injection wells. This close proximity and the possible impact to them being able to exit their driveway in case of an emergency dictates that the number of trucks estimated to travel through Brookfield Township, if the operation is allowed, must be determined in writing from the ODNR and Highland Field Services. We request that not only the number of trucks expected daily be revealed but also their weights, the route(s) they will take and the amount of waste each truck would carry through Brookfield Township be revealed to the public along with the estimated volume of waste anticipated to be injected each day at each of the proposed wells.

Since protecting the community of Brookfield Township is the duty of the Trustees, we have the authority to take action to ensure that the public health, safety and welfare of Brookfield Township is protected and maintained, and since the Governor and the ODNR have been given similar authority we would hold them responsible for any hazardous or catastrophic incident that may occur as a result of these injection wells.

We also request that an environmental health and safety impact study be completed before any drilling and/or injection can begin to determine the likelihood and extent of potential damage to public health, safety and welfare posed by the possibility of induced seismic activity in an already earthquake-prone area that is also an abandoned coal mine area. The potential for water contamination from potential spills if one of

these trucks should be involved in an accident also needs to be addressed. The amount of air pollution and the impact on air quality from the proposed site of five injection wells that are near family homes, businesses and government buildings needs to be revealed.

In addressing the noise generated from these proposed injection wells. Is there a maximum decibel level allowed during construction and operation? Is that level being exceeded or violated? What level of noise pollution can be expected? Will operation of these proposed wells take place 24 hours a day, 7 days a week?

We, the Brookfield Township Trustees, as well as the public, have the right to be given all of the above requested information.

Based upon scientific information, we believe that there is already more than enough evidence to show that the proposed injection wells cannot be operated at a safe or acceptable level of risk to public health and safety. Therefore, the ODNR must revoke and deny any permits already issued and deny any future permits.

Sincerely,

Brookfield Township Board of Trustees

---

Ronald E. Haun, Chairman

---

Gary P. Lees

---

Daniel S. Suttles

/tld